BOARD OF FIRE COMMISSIONERS EAST BRUNSWICK FIRE DISTRICT NO. 1 MINUTES OF THE SPECIAL MEETING March 4th, 2025

Commissioner Smith, Chairman, called the meeting to order at 7:00 PM in the meeting room of the Board of Fire Commissioners located at 310 Rues Lane, East Brunswick, NJ 08816.

Commissioner Smith led the Commissioners in the Pledge of Allegiance to the Flag and read the notice by R.S. 10-4, The Open Public Meetings Act, into the minutes. Notice of time, date, location and agenda of this meeting to the extent then known was duly published at least 48 hours in advance of this meeting by posting in the official newspaper of the Board and by posting on the official bulletin board of the Board of Fire Commissioners.

Roll Call:

Commissioner Ansalone:

Commissioner Hoover:

Commissioner McDonald:

Commissioner Mosher:

Commissioner Smith:

Rob McDonald was sworn in as Commissioner.

Motion was made to retain the same positions as prior year.

Motion made by: Comm. Mosher

Seconded by: Comm. Ansalone

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-01 appointing Administrative Assistant for Bureau of Fire Safety, Claire Smith, with changes.

Motion made by: Comm. McDonald Seconded by: Comm. Ansalone

Roll call: Com. McDonald...aye/ Com. Hoover...abstain/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...abstain. The motion was accepted and approved.

All five Commissioners are present, only 3 voted to avoid the appearance of impropriety.

Motion to adopt Resolution 2025-03-04-02 appointing Administrative Clerk for the Board of Fire Commissioners, Dana Blackmire.

Motion made by: Comm. Ansalone Seconded by: Comm. McDonald

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-03 appointing a Part Time Fire Marshall, Jaysen Whalen.

Motion made by: Comm. Ansalone Seconded by: Comm. McDonald

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-04 Part Time Fire Inspectors (Fire Prevention Specialists. – Matthew Jandernal

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-05 Part Time Fire Inspectors (Fire Prevention Specialists. – Steven Sommer

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-06 Part Time Fire Inspectors (Fire Prevention Specialists. – Andrew Kahse

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-07 Part Time Fire Inspectors (Fire Prevention Specialists. – Donald Edward Moreland

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-08 Part Time Fire Inspectors (Fire Prevention Specialists. – Joseph Bassano

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-09 Part Time Fire Inspectors (Fire Prevention Specialists. – Craig Taureck

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-10 awarding a Contract for Legal Services.

Motion made by: Comm. McDonald Seconded by: Comm. Mosher

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-11 authorizing a Contract for Accounting Services.

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-12 authorizing a Contract for Auditing Services.

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-13 Authorizing Qualified Purchasing Agent

Motion made by: Comm. Mosher Seconded by: Comm. Ansalone

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-14 authorizing establishment of an Official Depository.

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-15 Authorizing Notice of Public Meetings

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to adopt Resolution 2025-03-04-16 designating newspapers and public places for postings.

Motion made by: <u>Comm. Ansalone</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Chief's Report: N/A

President's Report: N/A

Fire Marshal: N/A

Fire Maintenance:

See attached report.

Building Maintenance Report: N/A

Legal: N/A

Treasurer's Report: See attached.

Motion to approve report of the Treasurer and authorize payment of properly audited bills.

Motion made by: <u>Comm. Mosher</u> Seconded by: <u>Comm. Ansalone</u>

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

Approval of Minutes: N/A

Correspondence: The 2024 Annual Survey of Local Government Finances has been filed.

Old Business: Motion to process payment for LOSAP for 2024.

Motion made by: Comm. Mosher Seconded by: Comm. Ansalone

Roll call: Com. McDonald...aye/ Com. Hoover...aye/ Com. Ansalone...aye/ Com.

Mosher...aye//Com. Smith...aye. The motion was accepted and approved.

New Business: A Motion was made to purchase a 16" Dewalt fan from Firefighter 1 in the amount of \$5,984.10.

Motion made by: <u>Comm. McDonald</u> Seconded by: <u>Comm. Mosher</u>

Roll call: Com. Ansalone...aye/ Com. Mosher...aye/ Com. McDonald...aye/ Com.

Hoover...aye// Com. Smith...aye. The motion was accepted and approved.

Motion to purchase one pallet of F-500 Foam from NY Fire Equipment totaling \$10,320.

Motion made by: Comm. Ansalone Seconded by: Comm. McDonald

Roll call: Com. Ansalone...aye/ Com. Mosher...aye/ Com. McDonald...aye/ Com.

Hoover...aye//Com. Smith...aye. The motion was accepted and approved.

Motion to authorize repair of water separator at Station 2 per quote 61612300 in the amount of \$7314.00

Motion made by: Comm. Smith Seconded by: Comm. McDonald

Roll call: Com. Ansalone...aye/ Com. Mosher...aye/ Com. McDonald...aye/ Com.

Hoover...aye//Com. Smith...aye. The motion was accepted and approved.

Motion made to purchase hose, for new 708 and reserve rig in the amount of \$14,584.50 from Continental Fire & Safety.

Motion made by: Comm. Mosher Seconded by: Comm. Ansalone

Roll call: Com. Ansalone...aye/ Com. Mosher...aye/ Com. McDonald...aye/ Com.

Hoover...aye//Com. Smith...aye. The motion was accepted and approved.

Adjournment:

Being no further discussion or business at this time, Commissioner Mosher made the motion seconded by Commissioner Ansalone to adjourn the meeting at 8:40 pm. Motion made by:

Comm. Mosher Seconded by: Comm. Smith

Roll call: Com. Mosher...aye/ Com. McDonald...aye/ Com. Smith...aye/ Com. Hoover...aye/ Com. Ansalone...aye. The motion was accepted and approved.

Respectfully submitted,

Frederick J. Hoover, Clerk Board of Fire Commissioners East Brunswick Fire District No. 1

Meeting Date: 3 4/2029 Called to Order at: 7 PM By: CHARLANSON TO
Attendance: P – Present A - Absent
Ansalone Hoover McDonald Mosher Smith
Motions Y – Yes N – No ABS – Absent ABST - Abstain
Swamer & Comussion McDonor
Motion made by: Seconded by:
Ansalone Hoover McDonald Mosher Smith
V Mono BetsAm SAME POSMONS AS PAION YOU
Motion made by: Matter Seconded by: Astron
Ansalone Hoover McDonald Mosher Mosher Smith
2 AASMAN #3-4-01 VODE THE APPEARANCE OF IMPROPHETY
2 AMSNAW) #3-4-01 VOTE TO AVOID THE APPEARANCE OF IMPROPULETY
Motion made by: Seconded by: Motion made by:
Ansalone Hoover McDonald Mosher Mosher Smith ABS
Ansalone Hoover H McDonald Mosher Smith ABS NOTION No Acopt Association + 2025-03-04-13 (QPA)
Motion made by: Motion Seconded by: Austra
Motion made by: Motion Seconded by: Augustian Seconded by: Mosher
Page 1 of 6

Meeting Date: 342025 Called to Order at: 7pm By: CHAILMIN Su 1TV
Attendance: P – Present A - Absent
Ansalone P Hoover P McDonald P Mosher P Smith P
Motions Y-Yes N-No ABS-Absent ABST-Abstain ADOPT RESOUTION 2025-03-04-11 (ACCONTING SERVICES)
Motion made by: Aust Seconded by: Mosk
Ansalone Hoover McDonald Mosher Smith
1 MOTTO TO ACOPT 2025-03-01-12 CANDITAL CONTESSET
Motion made by: Augument Seconded by: Madu
Ansalone Hoover McDonald Mosher Smith V Moru + Asspt Resources 2025-63-04-16 CEGAS Scancer
Motion made by: MCS Seconded by: MOSHA
Ansalone Hoover McDonald Mosher Mosher Smith
Morn or Shower Resource Repapears in mysen Wester
hne Marcon Mes 2025-03-09-03
Motion made by: Ansalone Hoover McDonald Mosher Smith
Page 2 of 6

Meeting Date: 3/1/2025 Called to Order at: 1PM By Challer Snim
Attendance: P – Present A - Absent
Ansalone P Hoover McDonald P Mosher P Smith
Motions Y-Yes N-No ABS-Absent ABST-Abstain 1 MOTION IN ASOAM (LS 2025-03-04-04, 5, 6, 7, 8, 9)
Motion made by: Aug Aug Aug Seconded by: Mosher Ansaione Hoover McDonald Mosher Smith Mosher Smith Mosher Appr Nts 2025-03-04-02 Commandation
Motion made by Ausaca Seconded by: Mer Ansalone Hoover McDonald Mosher Smith Ansalone Ansalon
Motion made by: ANSA Seconded by: 1050L Ansalone Hoover McDonald Mosher Mosher Smith Mosher Waspard Notion made by: ANSA Mosher Smith Mosher Smith Mosher Manager Ma
Motion made by: Austron Seconded by: Mosher Ansalone McDonald Mosher Smith Page 3 of 4

Meeting Date: 3-4-2025 Called to Order at: 7 PM By CHAICMAN
Attendance: P – Present A - Absent
Ansalone P Hoover P McDonald P Mosher P Smith P
Motions Y-Yes N-No ABS-Absent ABST-Abstain Motions Y-Yes N-No ABS-Absent ABST-Abstain
Motion made by: ANSAGO Seconded by: Most
Ansalone Hoover McDonald Mosher Smith
How to Assot Portour 2005-03-04-"MAINTONANCE
Suportison (Royce Corpic)
Motion made by: Ms Acor Seconded by: Hoov
Ansalone Hoover McDonald Mosher Smith
PROPERLY AUDITED 13:11s.
Motion made by: MOSHER Seconded by: ANSALONE
Ansalone Hoover McDonald Mosher Smith
1000 TO PROCES TAZ 105AP Pu 2024.
Motion made by: Mosher Amsalone Ansalone McDonald Mosher Smith
Page 4 of V

Meeting Date: 34/2025 Called to Order at: 7pm By: Charkun
Attendance: P – Present A - Absent
Ansalone P Hoover P McDonald P Mosher P Smith P
Motions Y-Yes N-No ABS-Absent ABST-Abstain #5989.10-
TO790 17 FLOCTODEDT NU GNAG FF1.
Motion made by: MC Seconded by: Moster-
Ansalone Hoover McDonald Mosher Smith
Monor & PURCHIER I PARCE & F-500 FOAM - MY FIRE EQUIP
6 10,320.
Motion made by: ANSACON Seconded by: MCD
Ansalone Hoover McDonald Mosher Smith Mosher SEPALANDI @ 5TA 2-
PER QUOE 61612300 \$ 7,314,00.
Motion made by: McD Seconded by: McD
Ansalone Hoover McDonald Mosher Smith
MOTION TO PURCHASE HOSE, FOR NEW 700 of RESIDEN RIG - HIM, 504,50 - CONTINENTAL FILE & SAFETY (BAMPE 25-454 (1700' NOTICE)
14,504,50 - CONTINENTAL PILE & SAFETY (BAMARE 25-454 (1700) NOTHE
Motion made by: Motton Seconded by: Augracons
Ansalone Hoover McDonald M Mosher Smith M
Page 5 of 6

ROLL CALL TALLY SHEET

Meeting	Date: 34	1025	Called to Order at:	7 PM =	BY: CHAIRAN SUPA	
Attendan	nce: P – Present	A - Absent				
Ansalon	e <u>P</u>	Hoover P	McDonald	Mosher <u>P</u>	Smith P	
			ABS – Absent			
**	NOTION	no Asour	W C 8:40	pn		
-	Motion made b	by: Mos Hon	Seconded by:	SMITH	1.	
Ansalon	e 📗	Hoover	McDonald	Mosher	Smith	
ı	Motion made b	у:	Seconded by:	•		
			McDonald		Smith	
_						
1	Motion made b	у:	Seconded by:			
Ansalone	<u> </u>	Hoover	McDonald	Mosher	Smith	
_	,					×
-				*		
N	Motion made b	y:	Seconded by:			
Ansalone	·	Hoover	McDonald	Mosher	Smith	

Page **6** of **6**

BOARD OF FIRE COMMISSIONERS EAST BRUNSWICK FIRE DISTRICT #1

TREASURER'S REPORT

March 4th, 2025

OPEN PURCHASE ORDERS:

\$ 2,298,205.99

CASH RECEIPTS:

\$ 19,496.93

EXPENDITURES:

\$ 34,152.43

ACCOUNT BALANCES

Fire Company Dedicated:

\$ 35,400.12

Bureau of Fire Safety Penalty:

\$ 39,155.30

General Cash Checking:

\$ 777,766.16

Provident Money Market:

\$ 1,029,185.56 (as of 2/2/2025)

TOTAL ASSETS:

\$ 1,881,507.14

PSTrax Open Alerts as of March 4, 2025 9:28 AM for All Stations

1300654	309394	1309568	1311157	1311752	1313086	1313087	1313739	1314259	1314267	1314467	1314729	ALERT ID
02/14/2025	09:46 PM	02/26/2025 08:06 AM	02/28/2025 08:23 AM	02/28/2025 10:1 7 PM	03/02/2025 11:14 AM	03/02/2025 11:15 AM	03/03/2025 09:10 AM	03/03/2025 04:02 PM	03/03/2025 04:11 PM	03/03/2025 09:06 PM	03/04/2025 09:27 AM	OPENED
Cradic,	Jeffrey	Cradic, Royce	Cradic, Royce	Sommer, Ron	Cradic, Royce	Cradic, Royce	Cradic, Royce	Stromberg, Rich	Stromberg, Rich	Geraldo, Patrick	Cradic, Royce	OPENED BY
Vehicle	Tools	Equipment & Tools	Vehicle Maintenance	Vehicle Maintenance	Equipment & Tools	Equipment & Tools	Vehicle Maintenance	Equipment & Tools	Equipment & Tools	Vehicle Maintenance	Building Maintenance	CATEGORY
702	Ğ	Station 2 - Civic Center	704	714	708	708	715	704	704	707	Station 1 - Pine Street Building Check	UNIT / CHECKLIST
Station 1	Station 2	Station 2	Station 2	Station 2	Station 1	Station 1	Station 1	Station 2	Station 2	Station 2	Station 1	POSTED STATION
Seatbelt alarms not working correctly.	EQUIPMENT CHECK - Saws - Chainsaw operation - Chainsaw has stall and won't start. Other chainsaw was removed from 708R and place on 709. 750 had been notified. February 26, 2025 07:57 AM - Royce Cradic:Edited 708 to 708R February 26, 2025 08:05 AM - Royce Cradic:At Pride for service	SCBA Air Compressor - Fill #1 hose is leaking. Tagged out of service. Air and Gas technologies will be notified for service. March 3, 2025 09:55 AM - Royce Cradic:New hoses on order.	Dash Voltage Meter not working Speedometer not working correctly March 3, 2025 09:56 AM - Royce Cradic:Service to be scheduled through Mack	Rear latch on glass keeps freezing March 3, 2025 09:56 AM - Royce Cradic:Needs to be scheduled with Suburban Caps for repair.	EQUIPMENT CHECK - Extinguishers - F500 Extinguisher - Not on truck - waiting on bracket	EQUIPMENT CHECK - Saws - Bar Oil - Need Quart of Bar Oil	VEHICLE CHECK - Chassis - Other Mechanical Issues - Cap weather stripping damaged / cap third brake light has water in it Needs to be scheduled at Suburban Caps for repair	EQUIPMENT CHECK - Saws - Chainsaw Operation - Couldn't get it to start	SCBA CHECK - Unit Check Confirmation - I certify that I have Completed this Truck/Building Check for the Week - 704B pack not alarming on low air. Pack taken off truck March 4, 2025 09:24 AM - Royce Cradic:FF1 will be notified for repair	CHASSIS CHECK - Non Emergency Lights - Headlights - Pass low beam out Bruce is aware.	Bay 3 Night Light not working	DESCRIPTION & COMMENTS COST
Routine	Routine	Routine	Routine	Routine	Routine	Routine	Routine	Routine	Routine	Routine	Routine	COST PRIORITY
03/03/2025	08:05 AM	03/03/2025 09:55 AM	03/03/2025 09:56 AM	03/03/2025 09:56 AM	03/02/2025 11:14 AM	03/02/2025 11:15 AM	03/03/2025 09:10 AM	03/03/2025 04:02 PM	03/04/2025 09:24 AM	03/03/2025 09:06 PM	03/04/2025 09:27 AM	/ LAST UPDATE

11/30/2024	Routine	VEHICLE CHECK - Chassis - Tire Inspection - Will need to be replace	Station 2	713	Vehicle	Paradise,	11/30/2024	1239/05
03/04/2025 09:26 AM	Routine	Leaking fluid - possibly transmission fluid March 4, 2025 09:26 AM - Royce Cradic:Leaking fuel from top of tank hose line	Station 2	717	Vehicle Maintenance	Cradic, Royce	12/10/2024 06:34 PM	
12/19/2024 08:07 AM	Routine	Fire and Safety Preventive Maintenance Issues Found: Rear heater control knob missing Front shocks leaking Passenger side LED Flood Light out December 19, 2024 08:07 AM - Royce Cradic:PM Report added	Station 2	709	Vehicle Maintenance	Cradic, Royce	12/19/2024 08:05 AM	1254461
01/09/2025 02:36 PM	Routine	Tires coming end of tread life. Will need new tires soon	Station 2	714	Vehicle Maintenance	Cradic, Royce	01/09/2025 02:36 PM	1270804
09:59 AM		January 18, 2025 05:25 PM - Royce Cradic:751 Added January 22, 2025 07:48 AM - Royce Cradic:Checked by Fire and Safety. Appears to be a Telma issue. Parts ordered. March 3, 2025 09:59 AM - Royce Cradic:At Fire and Safety for service			Maintenance	Royce	05:22 PM	
03/03/2025	Routine	Drivers side rear brakes hot/burning smell	Station 1	702	Vehicle	Cradic,	01/18/2025	1278332
03/03/2025 09:58 AM	Routine	FireFlow 2024 Pump Test Inspection Deficiencies: #2 LDH Discharge Leaking (previously reported) #4 LDH Discharge closes under pressure Deluge Discharge Leaking Front Suction Valve not closing completely March 3, 2025 09:58 AM - Royce Cradic:At Fire and Safety for service	Station 1	702	Vehicle Maintenance	Cradic, Royce	02/13/2025 08:22 AM	1299487
02/13/2025 08:35 AM	Routine	Numerous air leaks observed by Fire and Safety. Parts to be ordered and service will be scheduled.	Station 1	706	Vehicle Maintenance	Cradic, Royce	02/13/2025 08:35 AM	1299495
02/13/2025 08:39 AM	Routine	FireFlow 2024 Pump Test Deficiency Report	Station 1	706	Vehicle Maintenance	Cradic, Royce	02/13/2025 08:39 AM	1299500
02/13/2025 08:50 AM	Routine	2024 FireFlow Pump Test Deficiency Report: #2 LDH Discharge creeping closed under pressure, linkage needs to be adjusted	Station 2	707	Vehicle Maintenance	Cradic, Royce	02/13/2025 08:50 AM	1299525
02/13/2025 10:57 AM	Routine	2024 FireFlow Deficiency Report February 13, 2025 10:57 AM - Royce Cradic:Front Flood Light not working as per FireFlow Deficiency Report	Station 2	709	Vehicle Maintenance	Cradic, Royce	02/13/2025 09:03 AM	1299548
		March 3, 2025 09:58 AM - Royce Cradic:At Fire and Safety for service						
03/03/2025 09:58 AM	Routine	CHASSIS CHECK - Pump Check - Discharge Valves Operation - #2 discharge valve leaking	Station 1	702	Vehicle Maintenance	Taureck, Craig	02/14/2025 09:14 AM	1300430
09:57 AM		March 3, 2025 09:57 AM - Royce Cradic:At Fire and Safety for service			Maintenance	Royce	12:23 PM	
Y LAST UPDATE	COST PRIORITY	DESCRIPTION & COMMENTS COST	STATION	ONII / CHECKEISI	CAIRGORI	BY	<u>.</u>	

Station 2 Station 2 Station 2 Station 3 n 2 - Civic Center Station 3	09/06/2024	Routine	VEHICLE CHECK - Winch - Winch Remote - Loose Pin	Station 2	Brush 705	Equipment &	Ansalone,	09/06/2024	1173562
Numerous orange marker lights out Numerous orange marker lights out or dim February 13, 2025 08:32 AM - Royce Cradic: Issues found and documented in Fire and Safety PM Report March 3, 2025 09:59 AM - Royce Cradic: AF Fire and Safety for service CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slightbody damage as well. VEHICLE CHECK - Warning Lights - Emergency Lights - Siren - Opticom - Left front bumper light out, on order. Station 2 VEHICLE CHECK - Warning Lights - Siren - Opticom - Left front bumper light out, on order. Station 1 Preventive Maintenance Completed and Repairs Needed: Gab Lift Cylinder bushings going bad #1 Discharge hard to open #1 Discharge hard to open #1 Discharge hard to open #2 Preventive Maintenance conducted and repairs needed: December 19, 2024 08:01 AM - Royce Cradic:PM Report added Preventive Maintenance conducted and repairs needed: December 19, 2024 08:01 AM - Royce Cradic:PM Report added Parmp Panel Lock needs to be replaced December 19, 2024 08:01 AM - Royce Cradic:PM Report added Parmp Panel Lock needs to be replaced Passenger Rear Discharge Gauge needs to be replaced Passenger Rear Discharge Gauge needs to be replaced #2 Discharge drain Lesking Passenger Pump Panel Light inoperable Drivers Side Cab Lift Cylinder leaking Passenger Pump Panel Light inoperable Drivers Side Auxiliary Intake leaking Repair Pending Approval March 3, 2025 10:00 AM - Royce Cradic:PM Reserve Status Routine Routi	09/06/2024 09:46 AM	Routine	Rear parking lot light (near dumpster) not working. Building outside light not working (D side).	Station 3	Station 3 - Fem Road	Building Maintenance	Cradic, Royce	09/06/2024 09:46 AM	1173731
Numerous orange marker lights out or tim Numerous orange marker lights out or tim February 13, 20/25 08:32 AM - Royce Cradic:Issues found and documented in Fire and Safety PM Report March 3, 20/25 09:59 AM - Royce Cradic:AF Fire and Safety for service CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slightbody damage as well. VEHICLE CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slightbody damage as well. VEHICLE CHECK - Warning Lights - Energency Lights - Siren - Option - Left front bumper light out, on order. Station 2 Preventive Maintenance Completed and Repairs Needed: Grab Lift Cylinder bushings going bad # 1 Discharge hand to open Front Brake Hoses need to be replaced December 19, 20/24 08:03 AM - Royce Cradic:PM Report added Station 1 Station 1 Preventive Maintenance conducted and repairs needed: Speedometer Back Light inoperable Door Gasker Needs to be replaced December 19, 20/24 08:01 AM - Royce Cradic:PM Report added Primp Panel Lock needs to be replaced December 19, 20/24 08:01 AM - Royce Cradic:PM Report added Passenger Rear Discharge Gauge needs to be replaced Passenger Rear Discharge Rear	09/13/2024 12:43 PM	Routine	Flagpole rope broken (American Flag)	Station 2	Station 2 - Civic Center	Building Maintenance	Cradic, Royce	09/13/2024 12:43 PM	1179315
Numerous orange marker lights out Numerous orange marker lights out or dim February 13, 2025 08:32 AM - Royce Cradic:Issues found and documented in Fire and Safety PM Report March 3, 2025 09:59 AM - Royce Cradic:At Fire and Safety for service CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slight body damage as well. VEHICLE CHECK - Warning Lights - Emergency Lights - Siren - Opticom - Left front bumper light out , on order. Preventive Maintenance Completed and Repairs Needed: Ignition Back Light inoperable Cab Lift Cylinder bushings going bad #1 Discharge hard to open Front Brake Hoses need to be replaced December 19, 2024 08:03 AM - Royce Cradic:PM Report added Preventive Maintenance conducted and repairs needed: Speedometer Back Light inoperable Door Gasket Needs to be replaced Duck needs to be replaced December 19, 2024 08:01 AM - Royce Cradic:PM Report added	03/03/2025 10:00 AM	3100.00 Routine	Perimeter Light Lens broken, passenger side Fuel Tank rusty Tank Cradle rusty Tank Cradle rusty Passenger side auxiliary suction leaking Passenger Rear Discharge Gauge needs to be replaced #2 Discharge drain leaking Passenger Pump Panel Light inoperable Drivers Side Cab Lift Cylinder leaking Drivers Side Auxiliary Intake leaking Repair Pending Approval March 3, 2025 10:00 AM - Royce Cradic:Vehicle placed in Reserve Status	Station 3	708R	Vehicle Maintenance	Cradic, Royce	10/02/2024 01:31 PM	1194252
Numerous orange marker lights out Numerous orange marker lights out or dim Numerous orange marker lights out or dim February 13, 2025 08:32 AM - Royce Cradic:Issues found and documented in Fire and Safety PM Report March 3, 2025 09:59 AM - Royce Cradic:At Fire and Safety for service CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slight body damage as well. VEHICLE CHECK - Warning Lights - Emergency Lights - Siren - Opticom - Left front bumper light out, on order. Preventive Maintenance Completed and Repairs Needed: Ignition Back Light inoperable Cab Lift Cylinder bushings going bad #1 Discharge hard to open Front Brake Hoses need to be replaced December 19, 2024 08:03 AM - Royce Cradic:PM Report added	12/19/2024 08:01 AM	3100.00 Routine	Preventive Maintenance conducted and repairs needed: Speedometer Back Light inoperable Door Gasket Needs to be replaced Pump Panel Lock needs to be replaced December 19, 2024 08:01 AM - Royce Cradic:PM Report added	Station 1	706	Vehicle Maintenance	Cradic, Royce	10/02/2024 01:38 PM	1194263
Numerous orange marker lights out Numerous orange marker lights out or dim February 13, 2025 08:32 AM - Royce Cradic:Issues found and documented in Fire and Safety PM Report March 3, 2025 09:59 AM - Royce Cradic:At Fire and Safety for service CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slight body damage as well. VEHICLE CHECK - Warning Lights - Emergency Lights - Siren - Opticom - Left front bumper light out, on order.	12/19/2024 08:03 AM	3100.00 Routine	Preventive Maintenance Completed and Repairs Needed: Ignition Back Light inoperable Cab Lift Cylinder bushings going bad #1 Discharge hard to open Front Brake Hoses need to be replaced December 19, 2024 08:03 AM - Royce Cradic:PM Report added	Station 2	707	Vehicle Maintenance	Cradic, Royce	10/02/2024 01:46 PM	1194270
Numerous orange marker lights out Numerous orange marker lights out or dim February 13, 2025 08:32 AM - Royce Cradic:Issues found and documented in Fire and Safety PM Report March 3, 2025 09:59 AM - Royce Cradic:At Fire and Safety for service CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slightbody damage as well.	10/06/2024 10:55 AM	Routine	VEHICLE CHECK - Warning Lights - Emergency Lights - Siren - Opticom - Left front bumper light out , on order.	Station 2	713	Vehicle Maintenance	Paradise, John	10/06/2024 10:55 AM	1197197
Sissues found and Fire and Safety for service	10/16/2024 07:44 AM	Routine	CHASSIS CHECK - Chassis - Body Damage - Drivers side grab handle (right of pump panel) damaged. Slight body damage as well.	Station 2	707	Vehicle Maintenance	Cradic, Royce	10/16/2024 07:44 AM	1204885
Station 1 CHASSIS CHECK - Non Emergency Lights - Parking Lights - Routine 03/03/2025	03/03/2025 09:59 AM	Routine	CHASSIS CHECK - Non Emergency Lights - Parking Lights - Numerous orange marker lights out Numerous orange marker lights out or dim Numerous orange marker lights out or dim February 13, 2025 08:32 AM - Royce Cradic:Issues found and documented in Fire and Safety PM Report March 3, 2025 09:59 AM - Royce Cradic:At Fire and Safety for service	Station 1	702	Vehicle Maintenance	Cradic, Royce	11/20/2024 10:06 AM	1232362
soon. 10:14 AM	10:14 AM		soon.			Maintenance	John	10:14 AM	

07:57 AM Steve	ALERT OPENED OPE
Tools	OPENED CATEGORY BY
	UNIT / CHECKLIST
	POSTED STATION
	DESCRIPTION & COMMENTS
	COST PRIORITY
07:57 AM	LAST UPDATE

BOARD OF FIRE COMMISSIONERS EAST BRUNSWICK FIRE DISTRICT #1

TREASURER'S REPORT

March 4th, 2025

OPEN PURCHASE ORDERS:

\$ 2,298,205.99

CASH RECEIPTS:

\$ 19,496.93

EXPENDITURES:

\$ 34,152.43

ACCOUNT BALANCES

Fire Company Dedicated:

\$ 35,400.12

Bureau of Fire Safety Penalty:

\$ 39,155.30

General Cash Checking:

\$ 777,766.16

Provident Money Market:

\$ 1,029,185.56 (as of 2/2/2025)

TOTAL ASSETS:

\$ 1,881,507.14