

**BOARD OF FIRE COMMISSIONERS
EAST BRUNSWICK FIRE DISTRICT NO. 1
MINUTES OF THE SPECIAL MEETING
March 3rd, 2026**

Commissioner Smith, Chairman, called the meeting to order at 7:00 PM in the meeting room of the Board of Fire Commissioners located at 310 Rues Lane, East Brunswick, NJ 08816.

Commissioner Smith led the Commissioners in the Pledge of Allegiance to the Flag and read the notice by R.S. 10-4, The Open Public Meetings Act, into the minutes. Notice of time, date, location and agenda of this meeting to the extent then known was duly published at least 48 hours in advance of this meeting by posting in the official newspaper of the Board and by posting on the official bulletin board of the Board of Fire Commissioners.

Roll Call:

| | | |
|------------------------|---------|------------|
| Commissioner Ansalone: | Present | |
| Commissioner Hoover: | Present | Ⓢ |
| Commissioner McDonald: | Present | pm 3-18-26 |
| Commissioner Mosher: | Present | |
| Commissioner Smith: | Present | |

Commissioners Ansalone, McDonald, and Smith were administered Oaths of Office by Board Attorney Katie Sendzik Haines.

Motion for Board members to remain in the same positions as prior year.

Motion to Adopt by title all Resolutions for 2026, i.e. Officers, Depository, Accountant, Auditor, QPA, Meeting Dates, Fire Marshall, Deputy Fire Marshalls, Inspectors, Clerical Staff, and Official Newspaper.

Motion made by: Comm. McDonald Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Chief's Report: N/A

President's Report: N/A

Fire Marshal: see attached.

1. 744 had new emergency lights installed by Island Tech Services in Somerville. This lighting replaced the light bar that needed to be removed a while back.
2. We are in the planning stages with East Brunswick Public Schools Administration to schedule the annual Fire Safety Trailer presentations for the month of April.
3. We have been working on the plans and setup of the new Fire Investigation pickup truck that will hopefully be ordered soon.

Fire Maintenance: see attached

Building Maintenance Report: N/A

Legal:

Treasurer's Report: see attached.

Motion to approve report of the Treasurer and authorize payment of properly audited bills.

Motion made by: Comm. Smith Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Approval of Minutes: N/A

Correspondence: N/A

Old Business: N/A

New Business:

Motion to authorize 2025 LOSAP payment.

Motion made by: Comm. Smith Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Motion to authorize purchase of Ford F150 Crew Cab through Winning Ford (Cranford Co-Op)
for Fire Bureau in the amount of \$47,695.

Motion made by: Comm. Smith Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye/
Comm. McDonald...aye. The motion was accepted and approved.

Motion to install Clean Air System in Bay 4 at Pine Street Firehouse in the amount of \$4,930.94.
(Exhaust System)

Motion made by: Comm. McDonald Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Motion to purchase 6 Ice Commander suits requested by Chief Cradic from All Hands, under
State Contract #

Motion made by: Comm. McDonald Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Motion to replace lighting in the bays at Pine Street with Icon Electric in the amount of \$6,804.68 and authorize Icon the look into nightlight/camera upgrades in rear hallways.

Motion made by: Comm. McDonald Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Motion to purchase shirts for the Commissioners and Staff, with the amount not to exceed \$1000.

Motion made by: Comm. Mosher Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.


Adjournment:

Being no further discussion or business at this time, Commissioner Mosher made the motion seconded by Commissioner Ansalone to adjourn the meeting at 8:17 pm.

Motion made by: Comm. Mosher Seconded by: Comm. McDonald

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Respectfully submitted,



Frederick Hoover, Clerk
Board of Fire Commissioners
East Brunswick Fire District No. 1

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

ROLL CALL TALLY SHEET

Meeting Date: 3-3-2026

Called to Order at: 7 PM

By: VICE CHAIRMAN MOSHER

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald P Mosher P Smith P

Motions Y - Yes N - No ABS - Absent ABST - Abstain

COMMISSIONERS ANSALONE, McDONALD & SMITH AS WELL AS ADMINISTRATORS COME
OF OFF BY BOARD ATTORNEY KATE SOWZIK HAINES.

Motion made by: _____ Seconded by: _____

Ansalone _____ Hoover _____ McDonald _____ Mosher _____ Smith _____

MOTION FOR BOARD MEMBERS TO RETAIN SAME POSITIONS AS LAST
YEAR.

Motion made by: McDONALD Seconded by: MOSHER

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO ADOPT BY TITLE ALL RESOLUTIONS FOR 2026 - I.E. OFFICIAL
DEPOSITORY ACCOUNT, AUDITOR, OPA, MEETING DATES, FIRE MARSHAL, CHIEF
STAFF, INSPECTORS, DEPUTY FM, OFFICIAL NEWSPAPER.

Motion made by: McDONALD Seconded by: MOSHER

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO APPROVE REPORT & TREASURER & AITA PAYMENT OF PROPERTY
AUDITING BILLS

Motion made by: SMITH Seconded by: MOSHER

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

ROLL CALL TALLY SHEET

Meeting Date: 3-3-2026

Called to Order at: 7 PM

By: MOSHER/SMITH

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald P Mosher P Smith P

Motions Y - Yes N - No ABS - Absent ABST - Abstain

MOTION TO AUTHORIZE 2025 LOSAP PAYMENT

Motion made by: SMITH

Seconded by: MOSHER

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO AUTHORIZE PURCHASE OF FORD F150 CREW CAB THROUGH WINHELFORD (CEDARFORD CO-OP) FOR BUREAU \$47,695

Motion made by: SMITH

Seconded by: MOSHER

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO INSTALL CLEAN AIR SYSTEM - BAY 4 @ PINE ST FIREHOUSE \$4,930.94 (EXHAUST SYSTEM) \$4,930.94

Motion made by: MCDONALD

Seconded by: ANSALONE

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO PURCHASE 6 ICE COMMANDER SUITS REQUESTED BY CHIEF CRADIC - ALL HANDS - AWAITING STATE CONTRACT #

Motion made by: MCDONALD

Seconded by: ANSALONE

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

ROLL CALL TALLY SHEET

Meeting Date: 3-3-2026

Called to Order at: 7PM

By: MOSEHER/SMITH

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald P Mosher P Smith P

Motions Y - Yes N - No ABS - Absent ABST - Abstain

MOTION TO REPLACE PINE ST LIGHTING (PAYS) ICON ELECTRIC.

\$6,809.68 AND ADD ICON TO CHECK INTO NIGHT LIGHT/CAMERA UPGRADES
IN REAR HYDRANTS

Motion made by: McDONALD

Seconded by: ANSALONE

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO PURCHASE SHIRTS FOR COMMISSIONERS & STAFF - NITE
\$1,000.

Motion made by: MOSEHER

Seconded by: ANSALONE

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

MOTION TO ADJOURN @ 8:17 PM

Motion made by: MOSEHER

Seconded by: McDONALD

Ansalone Y Hoover Y McDonald Y Mosher Y Smith Y

Motion made by: _____

Seconded by: _____

Ansalone _____ Hoover _____ McDonald _____ Mosher _____ Smith _____

3/8/26

Pledge of Allegiance

Motion to reappoint Bruce Smith as Chairman
Robert McDonald as Treasurer
Steven Ansaloni as

All notices must be posted on main page of website for
10 days then could be archived

Reappoint

~~Administrative Block~~

Dana Blackmir \$26 at 24 per week min

Claire Smith

Jayson Whalen \$3

Joseph Bussano \$30 20 hr min

Tawak 26 20 nte

Moreland \$30 20 nte

Jandernal \$26 20 nte

Sommer \$26 20 nte

Kahse \$26 20 nte

Crudic \$3750

Chiefs Report

Presidents Report

Fire Marshals Report

see attached

Treasurers Report
see attached

Motion to approve report

Correspondance

Public

Old Business

Approval to process 2005 LOSAP

SA MM

RM FH BS

\$47,095 Police Interceptor Ford F150
new fire safety vehicle
Winter Ford cup is separate

BS MM SA FH RM

Clean Air Company
upgrades to Bay 4 at Pine Street for new truck
\$ 4950.94

RM SA BS MM FH

All Hands
Ice Commander Rescue Suits. state contract?

6598.50

RM SA FH MM BS

Icon Electric
light replacement at Pine Street to LED

\$6804.68

RM SA
MM BS FH

Motion to adjourn

MM SA
BS FH RM

Dana Blackmire

From: Jaysen Whalen
Sent: Monday, March 2, 2026 2:32 PM
To: Steve Ansalone
Cc: Dana Blackmire
Subject: March 2026 FM Report

Hi Steve,

Fire Marshal Report for March 2026 Commissioner's meeting.

1. 744 had new emergency lights installed by Island Tech Services in Somerville. This lighting replaced the light bar that needed to be removed a while back.
2. We are in the planning stages with EB Public Schools Administration to schedule the annual fire safety trailer presentations for the month of April.
3. We have been working on the plans and setup of the new fire investigation pickup that will be hopefully ordered soon.

Thank you!

Jaysen A. Whalen
Fire Marshal
Fire Districts #1 & #3
680 Old Bridge Turnpike
East Brunswick, NJ 08816
732-651-8806
ebfmo.org

PSTrax Open Alerts as of March 3, 2026 3:26 PM for All Stations

| ALERT ID | OPENED | OPENED BY | CATEGORY | UNIT / CHECKLIST | POSTED STATION | DESCRIPTION & COMMENTS | COST | PRIORITY | LAST UPDATE |
|----------|---------------------|-----------------|---------------------|------------------|----------------|--|------|----------|---------------------|
| 1617652 | 03/01/2026 01:40 PM | Green, Joel | Vehicle Maintenance | 709 | Station 2 | CHASSIS CHECK - Pump Check - Waterway Valve Operation - Aerial waterway shut off light went out, or switch is not working. March 2, 2026 12:09 PM - Royce Cradic:Sent to Fire and Safety for service | | Routine | 03/02/2026 12:09 PM |
| 1607173 | 02/17/2026 04:16 PM | Stromberg, Rich | Vehicle Maintenance | 704 | Station 2 | Driver's window doesn't go down. | | Routine | 02/17/2026 04:16 PM |
| 1591090 | 02/01/2026 12:43 PM | Green, Joel | Equipment & Tools | 704 | Station 2 | EQUIPMENT CHECK - Cascade System - Cascade Air Bank PSI Checks - Low air, will fill bank 1 and bank 2 February 3, 2026 10:54 AM - Royce Cradic:Cascade system has a slow leak. Possibly related to the Whalen light control box | | Routine | 02/03/2026 10:54 AM |
| 1577819 | 01/18/2026 12:47 AM | Green, Joel | Vehicle Maintenance | 712 | Station 2 | February 3, 2026 10:56 AM - Royce Cradic:Fire and Safety will be notified for service | | Routine | 02/03/2026 10:56 AM |
| 1572162 | 01/11/2026 01:29 PM | Green, Joel | Vehicle Maintenance | 717 | Station 2 | VEHICLE CHECK - Chassis - Other Mechanical Issues - Right side cab not staying up. Bad hydraulic struts. January 14, 2026 08:29 AM - Royce Cradic:ARE SN: N3203447 STABILUS LIFT-O-MAT HIGH PRESSURE January 14, 2026 08:34 AM - Royce Cradic:Photos added | | Routine | 01/14/2026 08:34 AM |
| 1572161 | 01/11/2026 01:27 PM | Green, Joel | Vehicle Maintenance | 717 | Station 2 | VEHICLE CHECK - Chassis - Body Damage - Peeling by back door | | Routine | 01/11/2026 01:27 PM |
| 1565771 | 01/04/2026 12:15 PM | Green, Joel | Equipment & Tools | 709 | Station 2 | EQUIPMENT CHECK - Miscellaneous Equipment - Search Rope - Not on T-709 January 5, 2026 12:02 PM - Royce Cradic:Search bags need to be replaced. | | Routine | 01/05/2026 12:02 PM |
| 1554312 | 12/20/2025 03:28 PM | Green, Joel | Vehicle Maintenance | 712 | Station 2 | VEHICLE CHECK - Chassis - Other Mechanical Issues - Missing right side back rubber gasket for roll top | | Routine | 12/20/2025 03:28 PM |
| 1545832 | 12/09/2025 09:07 PM | Green, Joel | Equipment & Tools | 709 | Station 2 | EQUIPMENT CHECK - Miscellaneous Equipment - Through the Floor Kit - | | Routine | 12/09/2025 09:07 PM |
| 1499223 | 10/14/2025 07:39 PM | Mosher, Michael | Vehicle Maintenance | 709 | Station 2 | CHASSIS CHECK - Pump Check - Discharge Valves Operation - 2.5" discharge not operational | | Routine | 02/17/2026 09:32 AM |

| ALERT ID | OPENED | OPENED BY | CATEGORY | UNIT / CHECKLIST | POSTED STATION | DESCRIPTION & COMMENTS | COST | PRIORITY | LAST UPDATE |
|----------|---------------------|---------------|---------------------|------------------|----------------|--|------|----------|---------------------|
| 1497893 | 10/13/2025 10:34 AM | Cradic, Royce | Vehicle Maintenance | Brush 705 | Station 2 | October 20, 2025 08:50 AM - Royce Cradic:Valve stuck closed - will not open Fire and Safety notified for repair February 17, 2026 09:32 AM - Royce Cradic:Service to be completed at the shop. | | Routine | 10/20/2025 08:51 AM |
| 1482632 | 09/24/2025 03:00 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Pump leaking. Service to be scheduled with Fire and Safety. October 20, 2025 08:51 AM - Royce Cradic:Fire and Safety notified for service | | Routine | 09/24/2025 03:00 PM |
| 1482630 | 09/24/2025 02:59 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Front oscillating light in main light bar inoperable Fire and Safety PM Report | | Routine | 09/24/2025 02:59 PM |
| 1482629 | 09/24/2025 02:58 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Hose clamp holding cooler hose is broken. Fire and Safety PM Report | | Routine | 09/24/2025 02:59 PM |
| 1482627 | 09/24/2025 02:56 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Front discharge gauge in vacuum all the time. Fire and Safety PM Report | | Routine | 09/24/2025 02:58 PM |
| 1482625 | 09/24/2025 02:55 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Passenger rear discharge gauge has no fluid in it. Fire and Safety PM Report | | Routine | 09/24/2025 02:56 PM |
| 1482624 | 09/24/2025 02:54 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Number 1 discharge gauge cracked. Fire and Safety PM Report | | Routine | 09/24/2025 02:55 PM |
| 1481767 | 09/23/2025 01:26 PM | Cradic, Royce | Vehicle Maintenance | 706 | Station 3 | Pinion seal wet. Fire and Safety PM Report | | Routine | 09/23/2025 01:26 PM |
| 1481766 | 09/23/2025 01:25 PM | Cradic, Royce | Vehicle Maintenance | 706 | Station 3 | Air dryer needs to be replace. Fire and Safety PM Report | | Routine | 09/23/2025 02:54 PM |
| 1481762 | 09/23/2025 01:23 PM | Cradic, Royce | Vehicle Maintenance | 706 | Station 3 | Passenger rear discharge gauge cracked Fire and Safety PM Report | | Routine | 09/23/2025 01:25 PM |
| 1481760 | 09/23/2025 01:22 PM | Cradic, Royce | Vehicle Maintenance | 709 | Station 2 | Officers seat belt torn. Fire and Safety PM Report | | Routine | 09/23/2025 01:23 PM |
| 1481757 | 09/23/2025 01:21 PM | Cradic, Royce | Vehicle Maintenance | 709 | Station 2 | Hydraulic leak on the passenger side hose that runs through the ladder. Fire and Safety PM Report February 17, 2026 09:59 AM - Royce Cradic:Service to be completed at the shop. | | Routine | 02/17/2026 09:59 AM |
| 1481752 | 09/23/2025 01:17 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | Fuel tank leaking. Fire and Safety PM Report February 17, 2026 09:59 AM - Royce Cradic:Service to be completed at the shop. Transmission dipstick leaking where it goes into the transmission. Fire and Safety PM Report | | Routine | 09/23/2025 01:19 PM |

| ALERT ID | OPENED | OPENED BY | CATEGORY | UNIT / CHECKLIST | POSTED STATION | DESCRIPTION & COMMENTS | COST | PRIORITY | LAST UPDATE |
|----------|---------------------|---------------|---------------------|------------------|----------------|--|------|----------|---------------------|
| 1481725 | 09/23/2025 12:44 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | September 23, 2025 01:19 PM - Royce Cradic:PM Report added Insulation under cab falling off Fire and Safety PM Report | | Routine | 09/23/2025 12:44 PM |
| 1481722 | 09/23/2025 12:43 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | Front shocks need replacement Fire and Safety PM Report | | Routine | 09/23/2025 12:43 PM |
| 1481721 | 09/23/2025 12:43 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | Pump drain leaking under pressure. Fire and Safety PM Report | | Routine | 09/23/2025 12:43 PM |
| 1481719 | 09/23/2025 12:42 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | AC vent broken. Fire and Safety PM Report | | Routine | 09/23/2025 12:42 PM |
| 1481718 | 09/23/2025 12:42 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | Drivers side window difficult to crank closed. Fire and Safety PM Report | | Routine | 09/23/2025 12:42 PM |
| 1481716 | 09/23/2025 12:39 PM | Cradic, Royce | Vehicle Maintenance | 706 | Station 3 | Rear spotlight not working FireFlow Pump Test Report | | Routine | 09/23/2025 12:39 PM |
| 1481715 | 09/23/2025 12:39 PM | Cradic, Royce | Vehicle Maintenance | 706 | Station 3 | Drivers side 6" suction screen needs to be replaced. FireFlow Pump Test Report | | Routine | 09/23/2025 12:39 PM |
| 1481714 | 09/23/2025 12:38 PM | Cradic, Royce | Vehicle Maintenance | 709 | Station 2 | Drivers side 6" suction screen needs to be replaced. FireFlow Pump Test Report February 17, 2026 09:59 AM - Royce Cradic:Service to be completed at the shop. | | Routine | 02/17/2026 09:59 AM |
| 1481712 | 09/23/2025 12:37 PM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | LDH elbow needs a new gasket. FireFlow Pump Test Report | | Routine | 09/23/2025 12:37 PM |
| 1481708 | 09/23/2025 12:35 PM | Cradic, Royce | Vehicle Maintenance | 702 | Station 1 | Passenger side LDH (Green #2) linkage creeps closed under pressure. FireFlow Pump Test Report | | Routine | 09/23/2025 12:35 PM |
| 1468952 | 09/07/2025 07:38 PM | Ranahan, Ryan | Vehicle Maintenance | 706 | Station 3 | CHASSIS CHECK - Generator and Electrical - Light Tower - Stand is loose Stand is wobbly | | Routine | 09/07/2025 07:38 PM |
| 1468950 | 09/07/2025 07:36 PM | Ranahan, Ryan | Vehicle Maintenance | 706 | Station 3 | CHASSIS CHECK - Pump - Transfer Valve Operation - Volume light is out | | Routine | 09/07/2025 07:36 PM |
| 1455850 | 08/23/2025 08:35 AM | Cradic, Royce | Vehicle Maintenance | 708R | Station 2 | Drivers side cab lift cylinder leaking. Fire and Safety will schedule repair. | | Routine | 08/23/2025 08:35 AM |
| 1430840 | 07/25/2025 09:56 AM | Cradic, Royce | Vehicle Maintenance | 708 | Station 1 | CHASSIS CHECK - Pump Check - Discharge Valves Operation - Closed light on Driver Rear Discharge A is not working | | Routine | 08/18/2025 09:35 AM |
| 1416728 | 07/08/2025 07:49 AM | Cradic, Royce | Vehicle Maintenance | 707 | Station 2 | August 18, 2025 09:35 AM - Royce Cradic:Fire and Safety notified and replacement ordered. Officers side brake light has LED's not working. August 5, 2025 08:50 AM - Royce Cradic:Part ordered. Will be replaced | | Routine | 08/05/2025 08:50 AM |

| ALERT ID | OPENED | OPENED BY | CATEGORY | UNIT / CHECKLIST | POSTED STATION | DESCRIPTION & COMMENTS | COST | PRIORITY | LAST UPDATE |
|----------|---------------------|---------------|---------------------|------------------|----------------|--|------|----------|---------------------|
| 1405959 | 06/25/2025 10:15 AM | Green, Joel | Equipment & Tools | 709 | Station 2 | during Preventive Maintenance EQUIPMENT CHECK - Miscellaneous Equipment - Search Rope - Bag needs to be marked No draw string, missing out of bag. Bag not marked "Search Rope" and rope is friction burned or dirty. Front shocks need to be replaced. Other issues repaired and new separate Alert entered for the shocks. August 5, 2025 08:51 AM - Royce Cradic:Shocks will be replaced during Preventive Maintenance | | Routine | 06/25/2025 10:15 AM |
| 1393028 | 06/09/2025 08:01 AM | Cradic, Royce | Vehicle Maintenance | 709 | Station 2 | TRUCK CHECK - Chassis - Other Mechanical Issues - Fuel tank vent hose is leaking. Fire and Safety to be contacted for service. | | Routine | 08/05/2025 08:51 AM |
| 1337924 | 04/01/2025 04:10 PM | Cradic, Royce | Vehicle Maintenance | Brush 703 | Station 1 | February 19, 2026 08:00 PM - Royce Cradic:Checked by Fire and Safety. Needs a new hose | | Routine | 02/19/2026 08:00 PM |
| 1313739 | 03/03/2025 09:10 AM | Cradic, Royce | Vehicle Maintenance | 715 | Station 1 | VEHICLE CHECK - Chassis - Other Mechanical Issues - Cap weather stripping damaged / cap third brake light has water in it Needs to be scheduled at Suburban Caps for repair December 2, 2025 08:14 AM - Royce Cradic:Needs to be repaired by the upfitter. | | Routine | 12/02/2025 08:14 AM |