

**BOARD OF FIRE COMMISSIONERS
EAST BRUNSWICK FIRE DISTRICT NO. 1
MINUTES OF THE SPECIAL MEETING
November 4th , 2025**

Commissioner Smith, Chairman, called the meeting to order at 7:00 PM in the meeting room of the Board of Fire Commissioners located at 310 Rues Lane, East Brunswick, NJ 08816.

Commissioner Smith led the Commissioners in the Pledge of Allegiance to the Flag and read the notice by R.S. 10-4, The Open Public Meetings Act, into the minutes. Notice of time, date, location and agenda of this meeting to the extent then known was duly published at least 48 hours in advance of this meeting by posting in the official newspaper of the Board and by posting on the official bulletin board of the Board of Fire Commissioners.

Roll Call:

Commissioner Ansalone:	Present
Commissioner Hoover:	Present
Commissioner McDonald:	
Commissioner Mosher:	Present
Commissioner Smith:	Present

Chief's Report: N/A

President's Report: N/A

Fire Marshal:

1. Fire prevention programs for the schools were completed. All went well and received positive feedback from the teachers.
2. Gave a fire safety presentation to the residents of Mira Vie on 10/21.
3. Attended the October Board of Education meeting to receive the annual fire prevention month proclamation.
4. October was another busy month with multiple weekend festivals. The guys did a great job with getting the permit inspections completed for these events.

Fire Maintenance: see attached report

Building Maintenance Report: N/A

Legal: Motion to approve Policy RE: Bid of Quote Thresholds,
Bid - \$53,000 and Quote Limit - \$7,950

Motion made by: Comm. Hoover Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Treasurer's Report: See attached.

Motion to approve report of the Treasurer and authorize payment of properly audited bills.

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...absent/ / Com.
Smith...aye. The motion was accepted and approved.

Approval of Minutes: N/A

Correspondence: N/A

Old Business: N/A

New Business: Motion to authorize replacement lights in Inspectors side of the Office and some added in the basement. Lowest estimated price is \$4,862.30 from Covenant Electric. Price of \$10,624 from Diamond Electric.

Motion made by: Comm. Smith Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to authorize purchase of Seek Fire Pro Cameras for Assistant Officers car in the amount of \$1,285.28 from The Fire Store.

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to purchase and install emergency lights in vehicle 744 in the amount of \$2,347.94 from Island Tech.

Motion made by: Comm. Smith Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to purchase additional Swift Water Suits for the next class in April. The total will be \$14,555.24.

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to purchase 15 Scott Bottles and trade in old ones in the amount of \$21,125.55 from Firefighter One.

Motion made by: Comm. Smith Seconded by: Comm. Hoover

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to amend the October resolutions for Ray Hipelli, Chirs and Lisa (Marlene) and Walt Danley. We will be adding Al Leslie and Ron Sommer.

Motion made by: Comm. Smith Seconded by: Comm. Hoover

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

BOATSAFE LLC will be using our facilities and in return will save 3-4 seats for our members for each class given.

Motion made by: Comm. Ansalone Seconded by: Comm. Smith

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

The Board authorizes Ladies Auxiliary to use a bay for their craft demo on December 12th.

Motion made by: Comm. Hoover Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to authorize a Special Election for Capital on November 28th from 6 pm – 9pm.

Motion made by: Comm. Seconded by: Comm.

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to authorize raise of Inspectors Moreland and Bassano to Monday-Friday \$30 per hour. For on call, the new rates are \$40 for weekday and \$80 for weekends. For next pay cycle, week ending 11/10/25.

Motion made by: Comm. Ansalone Seconded by: Comm. Smith

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.

Motion to raise Office Staff pay rates from \$25 to \$26 also taking effective for the next pay cycle, week ending 11/10/25.

Motion made by: Comm. Ansalone Seconded by: Comm. Mosher

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...aye/ / Com. Smith...aye.
The motion was accepted and approved.


Adjournment:

Being no further discussion or business at this time, Commissioner Mosher made the motion seconded by Commissioner Ansalone to adjourn the meeting at 8:12 pm.

Motion made by: Comm. Mosher Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...absent/ / Com. Smith...aye. The motion was accepted and approved.

Respectfully submitted,

A handwritten signature in blue ink, appearing to be 'F. Hoover', written over a horizontal line.

Frederick Hoover, Clerk
Board of Fire Commissioners
East Brunswick Fire District No. 1

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

ROLL CALL TALLY SHEET

Meeting Date: Nov 4, 2025 Called to Order at: 7pm By: CHARLTON SMITH

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald — Mosher P Smith P
 BOARD THANKS CHIEF SOMMER FOR HIS MANY YEARS OF SERVICE AS THIS IS HIS
 LAST MTG AS CHIEF -

Motions Y - Yes N - No ABS - Absent ABST - Abstain

✓ Motion to Approve Treasurer Report of Acre Payment & Property Acctg

Motion made by: Ansalone Seconded by: Mosher

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y
 ✓ Motion to Approve Replacement Lights in Inspector's Side of Office
 ADDITIONAL OFFICE OTHER ELECTRICAL
 20 HOURS 6M ✓
 SOME ADDITIONAL AGREEMENT - LOWEST EST, \$4,962.00 COVENANT, 10, ...
 68

Motion made by: Smith Seconded by: Mosher

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y
 ✓ Motion to Approve \$10000 + SEND 5 PEOPLE TO MEET OFFICER TO
Check on a Fire Equipment Manufacturer

Motion made by: Smith Seconded by: Mosher

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y
 ✓ Motion to Approve Purchase of Steel Fire Pro Camera & ABST
Officer's Cam @ 1,285.28 for Fire Store

Motion made by: Ansalone Seconded by: Mosher

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

ROLL CALL TALLY SHEET

Meeting Date: 11-4-2025

Called to Order at: 7pm

By: Chairman Smith

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald — Mosher P Smith P

Motions Y - Yes N - No ABS - Absent ABST - Abstain

✓ Motion to Purchase / Install Emer Light in 744. ² 2,347.92 to Repair
From Water Line FP MAINT ACCT.

Motion made by: Smith Seconded by: Ansalone

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

✓ Motion to Purchase ADD'L SWIFT WATER SUIB & NEXT QUART
IN APRIL. COMPLETE SET AS LAST PURCHASE ⁸¹ 14,555.24

Motion made by: Ansalone Seconded by: Mosher

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

✓ Motion to Purchase SCOTT PORTLES (15) a / PRO IN ⁸¹ 21,125.55
FF1

Motion made by: Smith Seconded by: Ansalone

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

✓ Motion to Ann PRODUCTIONS & ALLESLIE, Day Hipelli of
Don SUMMA.

Motion made by: Smith Seconded by: Ansalone

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

ROLL CALL TALLY SHEET

Meeting Date: 11-11-2025

Called to Order at: 7 PM

By: CHARLES SMITH

Attendance: P - Present A - Absent

Ansalone _____ Hoover _____ McDonald _____ Mosher _____ Smith _____

Motions Y - Yes N - No ABS - Absent ABST - Abstain

✓ POATSAFE LLC WILL BE USING OUR FACILITIES AND IN RETURN WILL SAVE 3-4 SEATS & OUR MEMBERS TRIP FOR ONE CLASS GIVE

Motion made by: ANSALONE Seconded by: SMITH

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

✓ BOARD AUTONOMOUS LADIES AUX TO USE A BAY FOR CRAFT DEMO ON DECEMBER 12TH

Motion made by: HOOPER Seconded by: ANSALONE

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

MOTION TO SET SPECIAL ELECTION FOR CAPITAL ON NOV 20TH 6-9 PM

Motion made by: _____ Seconded by: _____

Ansalone _____ Hoover _____ McDonald _____ Mosher _____ Smith _____

MOZON TO AURA PRINCE & INSP MONZANO & BRESANO - FROM M-F 8:30/HR FOR ONE FROM 8:30-9:00 - ENACT BY CYCLE - w/o 11/10/25

Motion made by: ANSALONE Seconded by: SMITH

Ansalone Y Hoover Y McDonald — Mosher Y Smith Y

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

START
25-26

ROLL CALL TALLY SHEET

Meeting Date: 11-1-2025

Called to Order at: 7PM

By: CAAMM SUT

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald - Mosher P Smith P

Motions Y - Yes N - No ABS - Absent ABST - Abstain

Motion to PASE ORDER STAFF SAL FROM 25 TO 26 -
ASST EXECUTIVE 11/10/25

Motion made by: ANSAN Seconded by: MOSHER

Ansalone Y Hoover Y McDonald - Mosher Y Smith Y

Motion to ADJOURN @ 8:12 PM

Motion made by: MOSA Seconded by: ANSAN

Ansalone Y Hoover Y McDonald - Mosher Y Smith Y

Motion made by: _____ Seconded by: _____

Ansalone _____ Hoover _____ McDonald _____ Mosher _____ Smith _____

Motion made by: _____ Seconded by: _____

Ansalone _____ Hoover _____ McDonald _____ Mosher _____ Smith _____

11/4/25

Oath of Allegiance

Chiefs Report:

Fire Marshall Report:
see attached

Fire Maintenance Assistant

Legal:

Annual election 2/21 2pm - 9pm

Treasurers Report
see attached

Motion to approve

SA MM

BS FH

Correspondance - NA

Public - NA

308

Old Business

Old 717 was sold for \$10,-
we owed \$9700

\$14,555.00

SA MM

BS MM

~ Spectors office needs new lights

2 quotes received

Diamond Electric - \$10,

Covenant Electric - \$4,862.48

Motion to approve ✓

Motion to approve 5 guys to go to New Orleans

SA MM BS FH

Purchase another ProSect camera from Witmer

SA MM \$1,285.28

BS ~~B~~ FH

744 lights to match other vehicle lights from Island Tech

\$ 347.94

BS SA

MM FH

All Hands Swift Water Rescue suits

\$ 14,555.24

SA MM

BS FH

July 2025 meeting

pay raises were discussed

Motion to change ~~to~~ salaries with intent to retitle the 2 inspectors to Deputy ~~of~~ Fire Marshall

SA MM increase in call amount to weekday \$40
BS FH weekend \$80

office staff increase from \$25 to \$26 effective next pay cycle
1110

SA MM
BS FH

~~Repeat~~

Motion to adjourn ~~at~~ 8:15

MM SA

Cott Bottles Firefighter One

\$21,125 SS

BS FH

SA MM

Ladies Auxiliary wants to use the bay on 12/12
For crafting.

BS FH

SA MM

Budget

Fire Prevention wants to purchase new FISO using capital account

Cranford Co-op has one available

3 Generators - one at Fern Road, one at 680 Old Bridge Turnpike
one at 683 Old Bridge Turnpike

\$80,000

Special ~~At~~ Election 11/28

From 6-9 pm

BS SA

MM FH

PSTrax Open Alerts as of November 4, 2025 7:38 AM for All Stations

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
1514023	11/02/2025 10:51 AM	Cradic, Royce	Building Maintenance	Station 2 - Civic Center	Station 2	707 bay remote door opener not working. Batteries were changed twice.		Routine	11/02/2025 10:51 AM
1507151	10/24/2025 07:29 PM	Cradic, Royce	Equipment & Tools	Equipment / Supply Request	Station 1	Quote requested from Wireless for (3) APX 6000 vehicle chargers.		Routine	10/24/2025 07:29 PM
1505489	10/22/2025 04:23 PM	Cradic, Royce	Vehicle Maintenance	711	Station 1	Drivers seat bottom cushion ripped. Replacement on order		Routine	10/22/2025 04:23 PM
1504914	10/22/2025 07:12 AM	Cradic, Royce	Equipment & Tools	709	Station 2	Spare Cutoff Saw will not start, removed and replace with another spare saw.		Routine	10/22/2025 07:12 AM
1501605	10/17/2025 06:25 PM	Taureck, Craig	Equipment & Tools	707	Station 2	EQUIPMENT CHECK - Radios and Electronics - Multi-Band Mobile - Does not power on. Tried power button and turning battery on/off		Routine	10/22/2025 07:12 AM
1499223	10/14/2025 07:39 PM	Mosher, Michael	Vehicle Maintenance	709	Station 2	October 20, 2025 08:49 AM - Royce Cradic:Forwarded to Wireless for service October 21, 2025 08:08 AM - Royce Cradic:Email sent to Ian October 22, 2025 07:12 AM - Royce Cradic:Radio removed from apparatus and sent back to Wireless Communications for repair. CHASSIS CHECK - Pump Check - Discharge Valves Operation - 2.5" discharge not operational		Routine	10/20/2025 08:50 AM
1497893	10/13/2025 10:34 AM	Cradic, Royce	Vehicle Maintenance	Brush 705	Station 2	October 20, 2025 08:50 AM - Royce Cradic:Valve stuck closed - will not open Fire and Safety notified for repair		Routine	10/20/2025 08:51 AM
1482632	09/24/2025 03:00 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Pump leaking. Service to be scheduled with Fire and Safety. October 20, 2025 08:51 AM - Royce Cradic:Fire and Safety notified for service		Routine	09/24/2025 03:00 PM
1482630	09/24/2025 02:59 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Front oscillating light in main light bar inoperable Fire and Safety PM Report		Routine	09/24/2025 02:59 PM
1482629	09/24/2025 02:58 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Hose clamp holding cooler hose is broken. Fire and Safety PM Report		Routine	09/24/2025 02:58 PM
1482627	09/24/2025 02:56 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Front discharge gauge in vacuum all the time. Fire and Safety PM Report		Routine	09/24/2025 02:56 PM
1482625	09/24/2025 02:55 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Passenger rear discharge gauge has no fluid in it. Fire and Safety PM Report		Routine	09/24/2025 02:55 PM
1482624	09/24/2025 02:54 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Pinion seal wet. Fire and Safety PM Report		Routine	09/24/2025 02:54 PM
1481767	09/23/2025	Cradic,	Vehicle	706	Station 3	Air dryer needs to be replace.		Routine	09/23/2025

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
1481766	01:26 PM	Royce	Maintenance	706	Station 3	Fire and Safety PM Report		Routine	01:26 PM
1481762	09/23/2025 01:25 PM	Cradic, Royce	Vehicle Maintenance	706	Station 3	Passenger rear discharge gauge cracked Fire and Safety PM Report		Routine	09/23/2025 01:25 PM
1481760	09/23/2025 01:23 PM	Cradic, Royce	Vehicle Maintenance	709	Station 2	Officers seat belt torn. Fire and Safety PM Report		Routine	09/23/2025 01:23 PM
1481757	09/23/2025 01:22 PM	Cradic, Royce	Vehicle Maintenance	709	Station 2	Hydraulic leak on the passenger side hose that runs through the ladder. Fire and Safety PM Report		Routine	09/23/2025 01:22 PM
1481754	09/23/2025 01:21 PM	Cradic, Royce	Vehicle Maintenance	707	Station 2	Fuel tank leaking. Fire and Safety PM Report		Routine	09/23/2025 01:21 PM
1481752	09/23/2025 01:20 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	Both rear tail lights have led bulbs out. Fire and Safety PM Report		Routine	09/23/2025 01:20 PM
1481725	09/23/2025 12:44 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	Transmission dipstick leaking where it goes into the transmission. Fire and Safety PM Report		Routine	09/23/2025 12:44 PM
1481722	09/23/2025 12:43 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	September 23, 2025 01:19 PM - Royce Cradic:PM Report added Insulation under cab falling off Fire and Safety PM Report		Routine	09/23/2025 12:43 PM
1481721	09/23/2025 12:43 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	Front shocks need replacement Fire and Safety PM Report		Routine	09/23/2025 12:43 PM
1481719	09/23/2025 12:42 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	Pump drain leaking under pressure. Fire and Safety PM Report		Routine	09/23/2025 12:42 PM
1481718	09/23/2025 12:42 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	AC vent broken. Fire and Safety PM Report		Routine	09/23/2025 12:42 PM
1481716	09/23/2025 12:39 PM	Cradic, Royce	Vehicle Maintenance	706	Station 3	Drivers side window difficult to crank closed. Fire and Safety PM Report		Routine	09/23/2025 12:42 PM
1481715	09/23/2025 12:39 PM	Cradic, Royce	Vehicle Maintenance	706	Station 3	Rear spotlight not working FireFlow Pump Test Report		Routine	09/23/2025 12:39 PM
1481714	09/23/2025 12:38 PM	Cradic, Royce	Vehicle Maintenance	709	Station 2	Drivers side 6" suction screen needs to be replaced. FireFlow Pump Test Report		Routine	09/23/2025 12:39 PM
1481712	09/23/2025 12:37 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Drivers side 6" suction screen needs to be replaced. FireFlow Pump Test Report		Routine	09/23/2025 12:38 PM
1481708	09/23/2025 12:35 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	LDH elbow needs a new gasket. FireFlow Pump Test Report		Routine	09/23/2025 12:37 PM
1468952	09/07/2025 07:38 PM	Ranahan, Ryan	Vehicle Maintenance	706	Station 3	Passenger side LDH (Green #2) linkage creeps closed under pressure. FireFlow Pump Test Report CHASSIS CHECK - Generator and Electrical - Light Tower - Stand is loose Stand is wobbly		Routine	09/07/2025 07:38 PM

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
1468950	09/07/2025 07:36 PM	Ranahan, Ryan	Vehicle Maintenance	706	Station 3	CHASSIS CHECK - Pump - Transfer Valve Operation - Volume light is out		Routine	09/07/2025 07:36 PM
1455850	08/23/2025 08:35 AM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Drivers side cab lift cylinder leaking. Fire and Safety will schedule repair.		Routine	08/23/2025 08:35 AM
1447769	08/13/2025 11:36 AM	Stromberg, Rich	Vehicle Maintenance	704	Station 2	While running truck w PTO operating, heard loud noise. Like a belt going, then sound stopped. Observed slight smoke coming from engine compartment. Shut off PTO, engine still running, engine sounded fine. Shut off engine and lifted cab. Observed slight smoke coming from top of engine accessory item. Presumed top be AC compressor, hoses coming off of it. Observed high heat waves coming from unit. August 18, 2025 09:33 AM - Royce Cradic:AC Compressor broken. Fire and Safety notified and is ordering a replacement. October 22, 2025 04:21 PM - Royce Cradic:At Fire and Safety for repair		Routine	10/22/2025 04:21 PM
1430840	07/25/2025 09:36 AM	Cradic, Royce	Vehicle Maintenance	708	Station 1	CHASSIS CHECK - Pump Check - Discharge Valves Operation - Closed light on Driver Rear Discharge A is not working August 18, 2025 09:35 AM - Royce Cradic:Fire and Safety notified and replacement ordered.		Routine	08/18/2025 09:35 AM
1429804	07/24/2025 06:44 AM	Cradic, Royce	Equipment & Tools	709	Station 2	Thermal Imaging Camera has a steady red light, indicating the camera is charging. Camera has been charging for over 12 hours. Possible battery issue. August 18, 2025 09:36 AM - Royce Cradic:Camera will be sent back to Bullard for service.		Routine	08/18/2025 09:36 AM
1429803	07/24/2025 06:43 AM	Cradic, Royce	Equipment & Tools	707	Station 2	Thermal Imaging Camera is flashing orange, indicating an error or battery issue. August 1, 2025 11:21 AM - Royce Cradic:TIC will be sent back to Bullard for battery evaluation		Routine	08/01/2025 11:21 AM
1416728	07/08/2025 07:49 AM	Cradic, Royce	Vehicle Maintenance	707	Station 2	Officers side brake light has LED's not working. August 5, 2025 08:50 AM - Royce Cradic:Part ordered. Will be replaced during Preventive Maintenance		Routine	08/05/2025 08:50 AM
1405959	06/25/2025 10:15 AM	Green, Joel	Equipment & Tools	709	Station 2	EQUIPMENT CHECK - Miscellaneous Equipment - Search Rope - Bag needs to be marked No draw string, missing out of bag. Bag not marked "Search Rope" and rope is friction burned or dirty.		Routine	06/25/2025 10:15 AM
1393028	06/09/2025 08:01 AM	Cradic, Royce	Vehicle Maintenance	709	Station 2	Front shocks need to be replaced. Other issues repaired and new separate Alert entered for the shocks. August 5, 2025 08:51 AM - Royce Cradic:Shocks will be replaced during Preventive Maintenance		Routine	08/05/2025 08:51 AM
1368799	05/09/2025 01:10 PM	Stromberg, Rich	Vehicle Maintenance	704	Station 2	CHASSIS CHECK - Non Emergency Lights - Clearance Lights - Officer rear out		Routine	05/09/2025 01:10 PM
1337924	04/01/2025	Cradic,	Vehicle	Brush 703	Station 1	TRUCK CHECK - Chassis - Other Mechanical Issues - Fuel tank vent hose is		Routine	04/01/2025

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
1313739	04:10 PM 03/03/2025 09:10 AM	Royce Cradic, Royce	Maintenance Vehicle Maintenance	715	Station 1	leaking. Fire and Safety to be contacted for service. VEHICLE CHECK - Chassis - Other Mechanical Issues - Cap weather stripping damaged / cap third brake light has water in it Needs to be scheduled at Suburban Caps for repair		Routine	04:10 PM 03/03/2025 09:10 AM
1311752	02/28/2025 10:17 PM	Sommer, Ron	Vehicle Maintenance	714	Station 2	Rear latch on glass keeps freezing March 3, 2025 09:56 AM - Royce Cradic:Needs to be scheduled with Suburban Caps for repair.		Routine	03/03/2025 09:56 AM

East Brunswick Fire District #1 Open Alerts as of November 4, 2025 7:43 AM

ALERT ID	OPENED	OPENED BY	TYPE	USER	SERIAL	ID	MFR	MODEL	GEAR DESCRIPTION	SIZE	STATUS	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
276150	11/04/2025 07:35 AM	Cradic, Royce	Pack	Unassigned	100005657948	23-16	Scott 3M	PAKTKR X3 PRO	704 G		In Service	PASS: pack is audibly indicating the batteries are low, after new batteries were installed PASS: PASS Alarm is going alerting periodically, without being activated by the firefighter		Routine	11/04/2025 07:35 AM

East Brunswick Fire District #1 Vehicle Odometer Hours Report | Printed on November 4, 2025 7:46 AM

STATION	UNIT	UNIT ID	APPARATUS TYPE	ODOMETER	ENGINE HOURS	PUMP HOURS	AERIAL HOURS
Station 1	702		Engine	20011.0	17271.6		
Station 1	708		Engine	2655.0	181.0	0.0	0.0
Station 1	711		Command vehicle	26598.0	0.0		
Station 1	Brush 703		Brush truck	7296.0			
Station 1	715		Command vehicle	34512.0			
Station 1	Marine 1 & 4	Marine 1	Boat, no pump				
Station 1	Marine 1 Trailer		Marine equipment, other	0.0	0.0	0.0	0.0
Station 1	Station 1 - Pine Street Building Check		Building	0.0	0.0	0.0	0.0
Station 1	Equipment / Supply Request			0.0	0.0	0.0	0.0
Station 2	704		Rescue unit	22182.3	2720.8		
Station 2	707		Engine	22315.0	1681.2		
Station 2	Brush 705		Brush truck	4150.8	0.0		
Station 2	712		Utility	69824.0	1.0		
Station 2	709		Truck / aerial	24680.0	3119.5		548.0
Station 2	713		Command vehicle	120515.0			
Station 2	714		Command vehicle	60375.0			
Station 2	Marine 2		Boat, no pump				
Station 2	Marine 2 Trailer		Marine equipment, other	0.0	0.0	0.0	0.0
Station 2	Station 2 - Civic Center		Building	0.0	0.0	0.0	0.0
Station 2	708R		Engine	45065.6	3711.0		
Station 2	717 New (741)	717 New	Utility	6704.0	0.0	0.0	0.0
Station 3	Station 3 - Fern Road		Building	0.0	0.0	0.0	0.0
Station 3	706		Engine	7984.5	9330.0		
Checklist Templates	Vehicle Checks	PSTrax Example					
Checklist Templates	Station Checks	PSTrax Example	Building				
Checklist Templates	Station 1 - Pine Street		Building	0.0	0.0	0.0	0.0

Dana Blackmire

From: Jaysen Whalen
Sent: Friday, January 9, 2026 2:57 PM
To: Dana Blackmire
Subject: FW: November 2025 FM Report

From: Jaysen Whalen
Sent: Monday, November 3, 2025 8:43 AM
To: Steve Ansalone <sansalone@ebfd1board.org>; Dana Blackmire <DBlackmire@ebfd1board.org>
Subject: November 2025 FM Report

Please see the following FM report for November 2025.

1. Fire prevention programs for the schools were completed. All went well and received positive feedback from the teachers.
2. Gave a fire safety presentation to the residents of Mira Vie on 10/21.
3. Attended the October Board of Education meeting to receive the annual fire prevention month proclamation.
4. October was another busy month with multiple weekend festivals. The guys did a great job with getting the permit inspections completed for these events.

Thank you.

Jaysen A. Whalen
Fire Marshal
Fire Districts #1 & #3
680 Old Bridge Turnpike
East Brunswick, NJ 08816
732-651-8806
ebfmo.org