

**BOARD OF FIRE COMMISSIONERS
EAST BRUNSWICK FIRE DISTRICT NO. 1
MINUTES OF THE SPECIAL MEETING
April 7th, 2026**

Commissioner Smith, Chairman, called the meeting to order at 7:00 PM in the meeting room of the Board of Fire Commissioners located at 310 Rues Lane, East Brunswick, NJ 08816.

Commissioner Smith led the Commissioners in the Pledge of Allegiance to the Flag and read the notice by R.S. 10-4, The Open Public Meetings Act, into the minutes. Notice of time, date, location and agenda of this meeting to the extent then known was duly published at least 48 hours in advance of this meeting by posting in the official newspaper of the Board and by posting on the official bulletin board of the Board of Fire Commissioners.

Roll Call:

Commissioner Ansalone:	Present
Commissioner Hoover:	Present ^①
Commissioner McDonald:	Present ^{RM}
Commissioner Mosher:	Absent ^{MM}
Commissioner Smith:	Present ^{BS}

Motion to Adopt by Resolution of Intent for Contract with Firefighter One for One Quint.

Motion made by: Comm. Ansalone Seconded by: Comm. Smith

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...absent/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Chief's Report: N/A

President's Report: N/A

Fire Marshal: N/A

Fire Maintenance: N/A

Building Maintenance Report: N/A

Legal:

Treasurer's Report: see attached.

Motion to approve report of the Treasurer and authorize payment of properly audited bills.

Motion made by: Comm. Hoover Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...absent/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Approval of Minutes: N/A

Correspondence: N/A

Old Business: N/A

New Business:

Motion to authorize purchasing Replacement Generator at Commissioner's Office to lowest bidder, EMR Power Systems in the amount of \$16,600.80.

Motion made by: Comm. McDonald Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...absent/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.


Adjournment:

Being no further discussion or business at this time, Commissioner McDonald made the motion seconded by Commissioner Ansalone to adjourn the meeting at 7:20 pm.

Motion made by: Comm. McDonald Seconded by: Comm. Ansalone

Roll call: Com. Hoover...aye/ Com. Ansalone...aye/ Com. Mosher...absent/ Com. Smith...aye/
Comm McDonald...aye. The motion was accepted and approved.

Respectfully submitted,

A handwritten signature in black ink, appearing to be 'F. Hoover', written over a horizontal line.

Frederick Hoover, Clerk
Board of Fire Commissioners
East Brunswick Fire District No. 1

EAST BRUNSWICK FIRE DISTRICT #1
BOARD OF FIRE COMMISSIONERS

16,600

ROLL CALL TALLY SHEET

Meeting Date: 4/7/2026

Called to Order at: 7pm

By: CERTAIN SMITH

Attendance: P - Present A - Absent

Ansalone P Hoover P McDonald P Mosher A Smith P

Motions Y - Yes N - No ABS - Absent ABST - Abstain

Motion to Adopt Res of intent to Contract w/ Fire
Fighter one R (1) Quant.

Motion made by: Ansalone Seconded by: Smith

Ansalone Y Hoover Y McDonald Y Mosher A Smith Y

Motion to Approve Report of Treasurer & Audit Report
& Property Auditor Bill

Motion made by: Ansalone Seconded by: Ansalone

Ansalone Y Hoover Y McDonald Y Mosher A Smith Y

Motion to Approve Purchase Population Generator @ 0500
to low Bidder EMR (\$16,600.00)

Motion made by: McD Seconded by: Ansalone

Ansalone Y Hoover Y McDonald Y Mosher A Smith Y

Motion to Adjourn @ 7:20pm

Motion made by: McD Seconded by: Ansalone

Ansalone Y Hoover Y McDonald Y Mosher A Smith Y

April 7th 2026

Pledge of Allegiance - 7:00 pm

Roll Call

Chiefs Report - see attached

President's Report -

Fire Maintenance Assistant - see attached

Legal -
motion to approve resolution ~~to purchase quit~~ with intent to award contract
to Firefighter One to purchase quit

SA RM

BS FH

MM - absent

Treasurer's Report -
see attached

EMR Power Systems to replace generator at 680 Old Bridge Turnpike
\$16,600.80

SA RM BS FH

MM - absent

Motion to adjourn

7:24

PSTrax Open Alerts as of April 7, 2026 11:12 AM for All Stations

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	CURRENT LOCATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
1649900	04/05/2026 11:15 AM	Green, Joel	Equipment & Tools	709	Station 2	Station 2	EQUIPMENT CHECK - Extinguishers - Water Extinguisher - Pressure gauge not working, represseurized gage did not go up. In cab drivers side.		Routine	04/05/2026 11:15 AM
1648195	04/03/2026 10:07 AM	Jandernal, Matthew	Marine Equipment	Marine 1 & 4 Marine 1	Station 1	Station 1	BOAT CHECK - MARINE 1 - Hull and Motor - Inflation Check - Left rear air valve has small		Routine	04/03/2026 10:07 AM
1645162	03/31/2026 12:49 PM	Cradic, Royce	Vehicle Maintenance	702	Station 1	Station 1	Leak needs new rubber grommet AC not blowing cold air		Routine	03/31/2026 12:49 PM
1644844	03/31/2026 09:04 AM	Cradic, Royce	Vehicle Maintenance	714	Station 3	Station 3	Front right side bright head light wig wag not working		Routine	03/31/2026 09:04 AM
1644842	03/31/2026 09:03 AM	Cradic, Royce	Vehicle Maintenance	714	Station 3	Station 3	Rear arrow stick has moisture in it. April 6, 2026 09:55 AM - Royce Cradic: Will be repaired by upfitter		Routine	04/06/2026 09:55 AM
1640219	03/26/2026 07:57 AM	Cradic, Royce	Vehicle Maintenance	708	Station 1	Station 1	Discharge valve red closed light not working. Previous alert was cleared in error. Repair will be scheduled with Fire and Safety.		Routine	03/26/2026 07:57 AM
1637181	03/22/2026 06:10 PM	Cradic, Royce	Vehicle Maintenance	714	Station 3	Station 3	Rear bumper warning lights not working correctly. Moisture inside the light. Will be repaired by the upfitter		Routine	03/22/2026 06:10 PM
1637180	03/22/2026 06:09 PM	Cradic, Royce	Vehicle Maintenance	715	Station 1	Station 1	Front side warning lights have moisture in them. Will be repaired by the upfitter		Routine	03/22/2026 06:09 PM
1636894	03/22/2026 10:57 AM	Green, Joel	Vehicle Maintenance	712	Station 2	Station 2	VEHICLE CHECK - Chassis - Body Damage - Drivers side step is loose when you stand on it. VEHICLE CHECK - Chassis - Other Mechanical Issues - Drivers side step is loose when you stand on it. Drivers side step is loose when you stand on it.		Routine	03/22/2026 10:57 AM
1627624	03/11/2026 02:00 PM	Stromberg, Rich	Medical	704	Station 2	Station 2	EQUIPMENT CHECK - Medical - Defibrillator Pads In Date - Pediatric expires 4/5/26		Routine	03/16/2026 07:18 PM
1591090	02/01/2026 12:43 PM	Green, Joel	Equipment & Tools	704	Station 2	Station 2	March 16, 2026 07:18 PM - Royce Cradic: New pads to be ordered for All AED's EQUIPMENT CHECK - Cascade System - Cascade Air Bank PSI Checks - Low air, will fill bank1 and bank 2		Routine	02/03/2026 10:54 AM

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	CURRENT LOCATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
1577819	01/18/2026 12:47 AM	Green, Joel	Vehicle Maintenance	712	Station 2	Station 2	February 3, 2026 10:54 AM - Royce Cradic:Cascade system has a slow leak. Possibly related to the Whalen light control box		Routine	02/03/2026 10:56 AM
1572161	01/11/2026 01:27 PM	Green, Joel	Vehicle Maintenance	717	Station 2	Station 2	February 3, 2026 10:56 AM - Royce Cradic:Fire and Safety will be notified for service		Routine	01/11/2026 01:27 PM
1565771	01/04/2026 12:15 PM	Green, Joel	Equipment & Tools	709	Station 2	Station 2	VEHICLE CHECK - Chassis - Body Damage - Peeling by back door EQUIPMENT CHECK - Miscellaneous Equipment - Search Rope - Not on T-709		Routine	01/05/2026 12:02 PM
1545832	12/09/2025 09:07 PM	Green, Joel	Equipment & Tools	709	Station 2	Station 2	January 5, 2026 12:02 PM - Royce Cradic:Search bags need to be replaced. EQUIPMENT CHECK - Miscellaneous Equipment - Through the Floor Kit -		Routine	12/09/2025 09:07 PM
1497893	10/13/2025 10:34 AM	Cradic, Royce	Vehicle Maintenance	Brush 705	Station 2	Station 2	Pump leaking. Service to be scheduled with Fire and Safety. October 20, 2025 08:51 AM - Royce Cradic:Fire and Safety notified for service		Routine	10/20/2025 08:51 AM
1482632	09/24/2025 03:00 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Front oscillating light in main light bar inoperable Fire and Safety PM Report		Routine	09/24/2025 03:00 PM
1482630	09/24/2025 02:59 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Hose clamp holding cooler hose is broken. Fire and Safety PM Report		Routine	09/24/2025 02:59 PM
1482629	09/24/2025 02:58 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Front discharge gauge in vacuum all the time. Fire and Safety PM Report		Routine	09/24/2025 02:58 PM
1482627	09/24/2025 02:56 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Passenger rear discharge gauge has no fluid in it. Fire and Safety PM Report		Routine	09/24/2025 02:56 PM
1482625	09/24/2025 02:55 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Number 1 discharge gauge cracked. Fire and Safety PM Report		Routine	09/24/2025 02:55 PM
1482624	09/24/2025 02:54 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Pintion seal wet. Fire and Safety PM Report		Routine	09/24/2025 02:54 PM
1481760	09/23/2025 01:22 PM	Cradic, Royce	Vehicle Maintenance	709	Station 2	Station 2	Hydraulic leak on the passenger side hose that runs through the ladder. Fire and Safety PM Report		Routine	02/17/2026 09:59 AM
1481725	09/23/2025	Cradic,	Vehicle	702	Station 1	Station 1	February 17, 2026 09:59 AM - Royce Cradic:Service to be completed at the shop. Insulation under cab falling off		Routine	03/16/2026

ALERT ID	OPENED	OPENED BY	CATEGORY	UNIT / CHECKLIST	POSTED STATION	CURRENT LOCATION	DESCRIPTION & COMMENTS	COST	PRIORITY	LAST UPDATE
	12:44 PM	Royce	Maintenance				Fire and Safety PM Report March 16, 2026 07:19 PM - Royce Cradic:Insulation ordered and will be replaced by Fire and Safety			07:19 PM
1481712	09/23/2025 12:37 PM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	LDH elbow needs a new gasket. FireFlow Pump Test Report		Routine	09/23/2025 12:37 PM
1455850	08/23/2025 08:35 AM	Cradic, Royce	Vehicle Maintenance	708R	Station 2	Station 2	Drivers side cab lift cylinder leaking. Fire and Safety will schedule repair.		Routine	08/23/2025 08:35 AM
1405959	06/25/2025 10:15 AM	Green, Joel	Equipment & Tools	709	Station 2	Station 2	EQUIPMENT CHECK - Miscellaneous Equipment - Search Rope - Bag needs to be marked No draw string, missing out of bag. Bag not marked "Search Rope" and rope is friction burned or dirty.		Routine	06/25/2025 10:15 AM
1313739	03/03/2025 09:10 AM	Cradic, Royce	Vehicle Maintenance	715	Station 1	Station 1	VEHICLE CHECK - Chassis - Other Mechanical Issues - Cap weather stripping damaged / cap third brake light has water in it Needs to be scheduled at Suburban Caps for repair December 2, 2025 08:14 AM - Royce Cradic:Needs to be repaired by the upfitter. April 6, 2026 09:54 AM - Royce Cradic:Currently at First Priority for repair		Routine	04/06/2026 09:54 AM